- 1/1 (C) WPI / DERWENT
- AN 2002-269525 [31]

B ( - 1 ...

- AP EP20010984565 20010117; W02001US01384 20010117; [Based on W00218412 ] ; AU20010029503 20010117
- PR US20010259516P 20010104; US20000228086P 20000828
- TI Seventeen nucleic acid molecules encoding human secreted proteins, useful in the prevention, treatment and diagnosis of cancer, immune disorders, cardiovascular disorders and neurological diseases
- IW SEVENTEEN NUCLEIC ACID MOLECULAR ENCODE HUMAN SECRETION PROTEIN USEFUL PREVENT TREAT DIAGNOSE CANCER IMMUNE DISORDER CARDIOVASCULAR DISORDER NEUROLOGICAL DISEASE
- PA (HUMA-N) HUMAN GENOME SCI INC
- PN EP1317472 A1 20030611 DW200346 C07H21/04 Eng 000pp
  - W00218412A1 20020307 DW200231 C07H21/04 Eng 501pp
  - AU200129503 A 20020313 DW200249 C07H21/04 000pp
- IC C07H5/00; C07H21/02; C07H21/04; C07K14/00; C12N1/21; C12N15/63; C12N15/85; C12N15/86; C12Q1/68
- AB WO200218412 NOVELTY Seventeen nucleic acid molecules encoding human secreted proteins, are new.
  - DETAILED DESCRIPTION Seventeen nucleic acid molecules encoding human secreted proteins, are new.
  - Each nucleic acid molecule (S1) comprises a sequence which is at least 95% identical to a sequence selected from:
  - (a) a polynucleotide fragment of one of the 49 nucleotide sequences (N1) defined in the specification, or a polynucleotide fragment of the cDNA sequence (C1) included in one of the ATCC Deposit Nos. defined in the specification, where C1 is hybridizable to a nucleotide sequence selected from N1:
  - (b) a polynucleotide encoding a polypeptide fragment, domain or epitope of one of the 49 polypeptide sequences (P1) defined in the specification, or a polypeptide fragment, domain or epitope encoded by C1;
  - (c) C1 or a polynucleotide encoding a polypeptide selected from P1;
  - (d) a polynucleotide which is a variant, preferably allelic variant, of a sequence selected from N1;
  - (e) a polynucleotide which encodes a species homolog of a sequence selected from P1; or
  - (f) a polynucleotide capable of hybridizing under stringent conditions to any of the polynucleotides of (a) to (e), where the polynucleotide does not hybridize under stringent conditions to a nucleic acid having a sequence of only A or T residues.
  - INDEPENDENT CLAIMS are also included for the following:
  - (1) a recombinant vector comprising S1;
  - (2) a method of making a recombinant host cell comprising \$1;
  - (3) a recombinant host cell, comprising vector sequences, produced by the method of (2);
  - (4) an isolated polypeptide (P2), comprising an amino acid sequence at least 95% identical to a sequence selected from:
  - (a) a polypeptide fragment, domain or epitope of a sequence selected from P1 or from the sequence encoded by C1, where the polypeptide fragment may have biological activity;
  - (b) a secreted form of a protein selected from P1 or from the sequence

## encoded by C1;

- (c) a full length protein selected from P1 or from the sequence encoded by C1;
- (d) a variant, preferably allelic variant, of a sequence selected from P1; or
- (e) a species homologue of a sequence selected from P1;
- (5) an isolated antibody that specifically binds to P2;
- (6) a recombinant host cell that expresses P2;
- (7) a method of making a polypeptide, comprising culturing the recombinant host cell of (6);
- (8) the polypeptide produced by the method of (7);
- (9) a method of preventing, treating or ameliorating a medical condition, comprising administering P2 or S1;
- (10) a method of diagnosing a pathological condition or a susceptibility to a pathological condition, comprising:
- (a) determining the presence or absence of a mutation in S1; and
- (b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or absence of the mutation;
- (11) a method of diagnosing a pathological condition or a susceptibility to a pathological condition, comprising:
- (a) determining the presence or amount of expression of P2 in a biological sample; and
- (b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or amount of expression of the polypeptide;
- (12) a method of identifying a binding partner to P2, comprising:
- (a) contacting P2 with a binding partner; and
- (b) determining whether the binding partner effects an activity of the polypeptide;
- (13) the gene corresponding to a cDNA sequence encoding a polypeptide selected from P1:
- (14) a method of identifying an activity in a biological assay, comprising:
- (a) expressing a sequence selected from S1 in a cell;
- (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and
- (d) identifying the protein in the supernatant having the activity; and
- (15) the product produced by the method of (14).
- ACTIVITY Cytostatic; immunosuppressive; nootropic; neuroprotective; antiviral; antiallergic; hepatotropic; antidiabetic; antiinflammatory; antiulcer; vulnerary; anticonvulsant; antibacterial; antifungal; antiparasitic; cardiant.
- Chick chorioallantoic membrane (CAM) is a well-established system to examine angiogenesis. Blood vessel formation on CAM is easily visible and quantifiable. The ability of the polypeptides to stimulate angiogenesis in CAM can be examined.
- Fertilized eggs of the White Leghorn chick (Gallus gallus) and the Japanese quail (Coturnix coturnix) are incubated at 37.8 degrees Centigrade and 80% humidity. Differentiated CAM of 16-day-old chick and 13-day-old quail embryos is studied with the following methods. On Day 4 of development, a window is made into the egg shell of chick

eggs. The embryos are checked for normal development and the eggs sealed with cellotape. They are further incubated until Day 13. Thermanox coverslips are cut into disks of about 5 mm in diameter. Sterile and salt-free growth factors are dissolved in distilled water and about 3.3 mg/5 ml are pipetted on the disks. After air-drying, the inverted disks are applied on CAM. After 3 days, the specimens are fixed in 3% glutaraldehyde and 2% formaldehyde and rinsed in 0.12 M sodium cacodylate buffer. They are photographed with a stereo microscope (Wild M8) and embedded for semi- and ultrathin sectioning as described above. Controls are performed with carrier disks alone.

- MECHANISM OF ACTION Gene therapy.
- USE The polynucleotides and polypeptides are useful for preventing, treating or ameliorating a medical condition (claimed) in e.g. humans, mice, rabbits, goats, horses, cats, dogs, chickens or sheep.
- The polypeptides can also be used as a food additive or preservative to increase or decrease storage capabilities.
- The polynucleotide are useful for chromosome identification. The nucleic acids, protein, antibodies, agonists and antagonists are useful in the diagnosis, treatment and prevention of:
- (a) cancer, particularly breast and ovarian cancer, and other cancers of the adrenal gland, bone, bone marrow, breast, gastrointestinal tract, liver, lung, or urogenital;
- (b) immune disorders such as Addison's disease, allergies, autoimmune hemolytic anemia, autoimmune thyroiditis, diabetes mellitus, Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative colitis:
- (c) cardiovascular disorders such as myocardial ischemias;
- (d) wound healing;
- (e) neurological diseases such as cerebral anoxia and epilepsy; and
- (f) infectious diseases such as viral, bacterial, fungal and parasitic infections.
- Numerous examples of each type of disorder are given in the specification.
- (Dwg.0/0)

```
ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN
L1
       ***402537-39-7***
                            REGISTRY
RN
     DNA (human clone HTPIY88 305-amino acid secretory protein cDNA plus
CN
     flanks) (9CI) (CA INDEX NAME)
OTHER NAMES:
     47: PN: WO0218412 SEQID: 52 claimed DNA
     NUCLEIC ACID SEQUENCE
FS
SQL
     1837
NA
     481 a
             476 c
                     447 g
                             433 t
PATENT ANNOTATIONS (PNTE):
Sequence | Patent
         Reference
Source
Not Given | WO2002018412
         |claimed
         SEQID 52
         1 ggcacgagca gaaagcaacc tcagctgaaa caaatgcata attataattt
SEO
        51 gatttcagaa gtggaaacat gacccgaatt catgcaccta ctgattactc
       101 caaatteett tattgttgaa getggageag aagtgggggt ceaeegtgga
       151 agtaaggaaa agcaaaacag aacaggggtc tcatccaggg agccatgtcg
       201 atggctatgg ggageteeac ettgctettg gggtggggee etggeeetgg
       251 gtgggactgt ggggtgatga gggttgtgct atgctggcta cctggtggta
       301 attgccaagg agagagcagc acgtagatcc tccctgtcat caggcagagc
       351 tetteagtga ggtgggetea gggagggete tgtgeetetg tteageagag
       401 ctgcagetge tgcccagete tcaggaggca agetggacte cetcactcag
       451 ctgcaggagc aaggacagtg aggctcaacc ccgcctgagc catgccagcc
       501 aacttcacag agggcagctt cgattccagt gggaccgggc agacgctgga
       551 ttcttcccca gtggcttgca ctgaaacagt gacttttact gaagtggtgg
       601 aaggaaagga atggggttcc ttctactact cctttaagac tgagcaattg
       651 ataactctgt gggtcctctt tgtttttacc attgttggaa actccgttgt
       701 gcttttttcc acatggagga gaaagaagaa gtcaagaatg accttctttg
       751 tgactcaget ggccatcaca gaaaagcaag ccagggtcct cattgtgatc
       801 gcctggagcc tgtcttttct gttctccatt cccaccctga tcatatttgg
       851 gaagaggaca ctgtccaacg gtgaagtgca gtgctgggcc ctgtggcctg
       901 acqactccta ctggacccca tacatgacca tcgtggcctt cctggtgtac
       951 ttcatccctc tgacaatcat cagcatcatg tatggcattg tgatccgaac
      1001 tatttggatt aaaagcaaaa cctacgaaac agtgatttcc aactgctcag
      1051 atgggaaact gtgcagcagc tataaccgag gactcatctc aaaggcaaaa
      1101 atcaaggeta tcaagtatag catcatcatc attettgeet tcatctgetg
      1151 ttggagtcca tacttcctgt ttgacatttt ggacaatttc aacctccttc
      1201 cagacaccca ggagcgtttc tatgcctctg tgatcattca gaacctgcca
      1251 gcattgaata gtgccatcaa ccccctcatc tactgtgtct tcagcagctc
      1301 catctctttc ccctgcaggg agcaaagatc acaggattcc agaatgacgt
      1351 tccgggagag aactgagagg catgagatgc agattctgtc caagccagaa
      1401 ttcatctaga ccctagggca gtgccagtgc taggctgagc accatcagct
      1451 ctcccaggtc cttgtcacct gcttgggcac gtgcatggaa cccgagccaa
      1501 cttcacccca ccctcgtcat tacctgggag atgcacaaga caaatgttct
      1551 aatgactgca tgcactgctt aagtattggc caacacgaac tccccagtta
      1601 ttcatgccag ccaggaagga aacgccttcc ttccccacca ttcccagccc
      1651 tccttcccac tggccagcac ctgaacccag tgaacacagg catcagtggt
      1701 ccagggtcct ggcttggagc cagtgagtag acaggcaagc agaggggaca
      1751 aaggtagctg ggttatacat gaatattctc attacaatag aagaaaataa
      1801 aagacttaat taagcccaaa aaaaaaaa aaaaaaa
MF
     Unspecified
CI
     MAN
SR
     CA
LC
     STN Files:
                  CA, CAPLUS
               1 REFERENCES IN FILE CA (1907 TO DATE)
               1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
```

```
ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS ON STN

****402537-11-5*** REGISTRY JC17 Rec'd PCT/PTO 17 JUN 2005

DNA (human clone HTPIY88 43-amino acid secretory peptide cDNA plus flanks)

(9CI) (CA INDEX NAME)
RN
             (CA INDEX NAME)
     (9CI)
OTHER NAMES:
CN
     23: PN: WO0218412 SEQID: 24 claimed DNA
FS
     NUCLEIC ACID SEQUENCE
SQL
     1872
                      458 q
                              439 t
                                       1 k
NA
     482 a
             484 C
                                             2 n
PATENT ANNOTATIONS (PNTE):
Sequence | Patent
Source
         Reference
------+--------
Not Given W02002018412
          claimed
         SEQID 24
SEQ
         1 gcagaaagca acctcagctg aaacaaatgc ataattataa tttgatttca
        51 gaagtggaaa catgacccga attcatgcac ctactgatta ctccaaattc
       101 ctttattgtt gaagctggag cagaagtggg ggtccaccgt ggaagtaagg
       151 aaaagcaaaa cagaacaggg gtctcatcca gggagccatg tcgatggcta
       201 tggggagete cacettgete ttggggtggg geeetggeee tgggtgggae
       251 tgtggggtga tgagggttgt gctatgctgg ctacctggtg gtaattgcca
       301 aggagagag agcacgtaga tcctccctgt catcaggcag agctcttcag
       351 tgaggtgggc tcagggaggg ctctgtgcct ctgttcagca gagctgcagc
       401 tgctgcccag ctctcaggag gcaagctgga ctccctcact cagctgcagg
       451 agcaaggaca gtgaggctca accccgcctg agccatgcca gccaacttca
       501 cagagggcag cttcgattcc agtgggaccg ggcagacgct ggattcttcc
       551 ccagtggctt gcactgaaac agtgactttt actgaagtgg tggaaggaaa
       601 ggaatggggt tccttctact actcctttaa gactgagcaa ttgataactc
       651 tgtgggtcct ctttgttttt accattgttg gaaactccgt tgtgcttttt
       701 tccacatgga ggagaaagaa gaagtcaaga atgaccttct ttgtgactca
       751 gctggccatc acagaaaagc aagccagggt cctcattgtg atcgcctgga
       801 gcctgtcttt tctgttctcc attcccaccc tgatcatatt tgggaagagg
       851 acactgtcca acggtgaagt gcagtgctgg gccctgtggc ctgacgactc
       901 ctactggacc ccatacatga ccatcgtggc cttcctggtg tacttcatcc
       951 ctctgacaat catcagcatc atgtatggca ttgtgatccg aactatttgg
      1001 attaaaagca aaacctacga aacagtgatt tccaactgct cagatgggaa
      1051 actgtgcagc agctataacc gaggactcwt ytywwwkgca aaaatcaagg
      1101 ctatcaaqta taqcatcatc atcattcttg ccttcatctg ctgttggagt
      1151 ccatacttcc tgtttgacat tttggacaat ttcaacctcc ttccagacac
      1201 ccaggagcgt ttctatgcct ctgtgatcat tcagaacctg ccagcattga
      1251 atagtgccat caacccctc atctactgtg tettcagcag ctccatctct
      1301 ttcccctgca gggagcaaag atcacaggat tccagaatga cgttccggga
      1351 gagaactgag aggcatgaga tgcagattct gtccaagcca gaattcatct
      1401 agaccctagg gcagtgccag tgctaggctg agcaccatca gctctcccag
      1451 gtccttgtca cctgcttggg cacgtgcatg gaacccgagc caacttcacc
      1501 ccaccctcgt cattacctgg gagatgcaca agacaaatgt tctaatgact
      1551 gcatgcactg cttaagtatt ggccaacacg aactccccag ttattcatgc
      1601 cagccaggaa ggaaacgcct tectteecca ccatteecag cecteettee
      1651 cactggccag cacctgaacc cagtgaacac aggcatcagt ggtccagggt
      1701 cctggcttgg agccagtgag tagacaggca agcagagggg acaaaggtag
      1751 ctgggttata catgaatatt ctcattacaa tagaagaaaa taaaagactt
      1801 aattaagccc aaaaaaaaaa aaaaaaaaaa ctcgaggggg ggcccggacc
      1851 caattcgccc tatagtgagn ng
MF
     Unspecified
CI
     MAN
SR
     CA
LC
     STN Files:
                  CA, CAPLUS
               1 REFERENCES IN FILE CA (1907 TO DATE)
               1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
```

	Score = 26 Identities Strand = I Query:	s = 1 Plus	Expect = 0.0 1367/1369 (99%) / Plus gggctcagggagggctctgtgcctccgttcagcagagctgcagctgctgcccagc
55 418	Subject:	364	
110	Query:	56	tctcaggaggcaagctggactccctcactcagctgcaggagcaaggacagtgagg
473	Subject:	419	
165	Query:	.111	ctcaaccccgcctgagccatgccagccaacttcacagagggcagcttcgattcca
528	Subject:	474	
220	Query:	166	gtgggaccgggcagacgctggattcttccccagtggcttgcactgaaacagtgac
583	Subject:	529	
275	Query:	221	ttttactgaagtggtggaaggaaaggaatggggttccttctactactcctttaag
638	Subject:	584	
330	Query:	276	${\tt actgagcaattgataactctgtgggtcctctttgtttttaccattgttggaaact}$
693	Subject:	639	
385	Query:	331	ccgttgtgcttttttccacatggaggagaaagaagaagtcaagaatgaccttctt
748	Subject:	694	
440	Query:	386	tgtgactcagctggccatcacagaaaagcaagccagggtcctcattgtgatcgcc
803	Subject:	749	
495	Query:	441	tggagcctgtctttctgttctccattcccaccctgatcatatttgggaagagga
858	Subject:	804	

/ 550	Query:	496	cactgtccaacggtgaagtgcagtgctgggccctgtggcctgacgactcctactg
913	Subject:	859	
605	Query:	551	gaccccatacatgaccatcgtggccttcctggtgtacttcatccctctgacaatc
968	Subject:	914	gaccccatacatgaccatcgtggccttcctggtgtacttcatccctctgacaatc
660	Query:	606	atcagcatcatgtatggcattgtgatccgaactatttggattaaaagcaaaacct
1023	Subject:	969	
715	Query:	661	acgaaacagtgatttccaactgctcagatgggaaactgtgcagcagctataaccg
1078		1024	
770	Query:	716	aggactcatctcaaaggcaaaaatcaaggctatcaagtatagcatcatcatt
1133		1079	
825	Query:	771	cttgccttcatctgctgttggagtccatacttcctgtttgacattttggacaatt
1188		1134	
880	Query:	826	tcaacctccttccagacacccaggagcgtttctatgcctctgtgatcattcagaa
1243	_	1189	
935	Query:	881	cctgccagcattgaatagtgccatcaaccccctcatctactgtgtcttcagcagc
1298		1244	
990	Query:	936	tccatctctttcccctgcagggagcaaagatcacaggattccagaatgacgttcc
1353	_	1299	
1045	Query:	991	gggagagaactgagaggcatgagatgcagattctgtccaagccagaattcatcta
1408		1354	


• •

```
1100
           Subject: 1409 gaccctagggcagtgccagtgctaggctgagcaccatcagctctcccaggtcctt
1463
        1101 gtcacctgcttgggcacgtgcatggaacccgagccaacttcaccccaccctcgtc
  Query:
1155
           Subject: 1464 gtcacctgcttgggcacgtgcatggaacccgagccaacttcaccccaccctcgtc
1518
        Query:
1210
           1573
        Query:
1265
           1266 ccttcccaccattcccagccctccttcccactggccagcacctgaacccagtga
  Query:
           Subject: 1629 ccttccccaccattcccagccctccttcccactggccagcacctgaacccagtga
1683
  Query:
        1321 acacaggcattagtggtccagggtcctggcttggagccagtgagtagac 1369
           Subject: 1684 acacaggcatcagtggtccagggtcctggcttggagccagtgagtagac 1732
(402537-11-5) DNA (human clone HTPIY88 43-amino acid secretory peptide cDNA
plus flanks)
Length = 1872
          Score = 2670
                    Expect = 0.0
  Score = 2670 Expect = 0.0
  Identities = 1360/1369 (99%)
  Strand = Plus / Plus
          1 gggctcagggagggctctgtgcctccgttcagcagagctgcagctgctgcccagc
  Query:
55
           357 gggctcagggagggctctgtgcctctgttcagcagagctgcagctgctgcccagc
411
         56 tctcaqqaqqcaaqctqqactccctcactcaqctgcagqagcaaggacagtgagg
  Query:
110
           412 tetcaggaggcaagetggacteeetcaetcagetgcaggagcaaggacagtgagg
  Subject:
466
        111 ctcaaccccgcctgagccatgccagccaacttcacagagggcagcttcgattcca
  Query:
165
           Subject:
        467 ctcaaccccgcctgagccatgccagccaacttcacagagggcagcttcgattcca
521
```

1046 gaccctagggcagtgccagtgctaggctgagcaccatcagctctcccaggtcctt

Query:

·			
220	Query:	166	gtgggaccgggcagacgctggattcttccccagtggcttgcactgaaacagtgac
576	Subject:	522	gtgggaccgggcagacgctggattcttccccagtggcttgcactgaaacagtgac
275	Query:	221	ttttactgaagtggtggaaggaaaggaatggggttccttctactactcctttaag
631	Subject:	577	ttttactgaagtggtggaaggaaaggaatggggttccttctactactcctttaag
330	Query:	276	actgagcaattgataactctgtgggtcctctttgtttttaccattgttggaaact
686	Subject:	632	
385	Query:	331	ccgttgtgcttttttccacatggaggagaaagaagaagtcaagaatgaccttctt
743	Subject:	687	
440	Query:	386	tgtgactcagctggccatcacagaaaagcaagccagggtcctcattgtgatcgcc
796	Subject:	742	tgtgactcagctggccatcacagaaaagcaagccagggtcctcattgtgatcgcc
495	Query:	441	tggagcctgtctttctgttctccattcccaccctgatcatatttgggaagagga
851	Subject:	797	
550	Query:	496	cactgtccaacggtgaagtgcagtgctgggccctgtggcctgacgactcctactg
906	Subject:	852	cactgtccaacggtgaagtgcagtgctgggccctgtggcctgacgactcctactg
605	Query:	551	gacccatacatgaccatcgtggccttcctggtgtacttcatccctctgacaatc
963	Subject:	907	
. 660	Query:	606	atcagcatcatgtatggcattgtgatccgaactatttggattaaaagcaaaacct
10:	Subject:	962	
71!	Query:	661	acgaaacagtgatttccaactgctcagatgggaaactgtgcagcagctataaccg
10	_	1017	



Query: 1266 ccttcccaccattcccagccctccttcccactggccagcacctgaacccagtga
1320

Subject: 1622 ccttccccaccattcccagccctccttcccactggccagcacctgaacccagtga
1676

Query: 1321 acacaggcattagtggtccagggtcctggcttggagccagtgagtagac 1369

Subject: 1677 acacaggcatcagtggtccagggtcctggcttggagccagtgagtagac 1725